General Decision Number: CA030034 08/26/2005 CA34

Superseded General Decision Number: CA020034

State: California

Construction Type: Building

County: **Amador**

County in California.

BUILDING CONSTRUCTION PROJECTS (does not include residential construction consisting of single family homes and apartments up to and including $4\ \mathrm{stories})$

Modification Number Publication Date

0 06/13/2003 1 08/26/2005

SUCA1985-003 07/01/1985

AMADOR COUNTY

| 1 | Rates | Fringes |
|--|----------------|------------------|
| Boilermaker | | |
| Boilermaker - blacksmith | | |
| (storage tank erection)\$ | 19.25 | 4.00 |
| Boilermaker - blacksmith | | |
| (storage tank repair)\$ | 17.05 | 4.00 |
| Boilermaker\$ | 22.60 | 4.25 |
| Brick Tender\$ | | 3.46 |
| Bricklayer, Stonemason\$ Carpenters: | 1/.5/ | 4.04 |
| Carpenter\$ | 18 58 | 6.455 |
| Hardwood floorlayer; Power | 10.50 | 0.155 |
| saw operator; Saw filer; | | |
| Shingler; Steel scaffold | | |
| erector and steel shoring\$ | 18.73 | 6.455 |
| Millwright\$ | 20.48 | 7.855 |
| Piledriver, bridge, wharf | 10 20 | 9.715 |
| and dock builder\$ Cement Masons: | 19.30 | 9.715 |
| Cement mason\$ | 16.91 | 6.18 |
| Swing or slip form | | |
| scaffolds; Mastic, | | |
| magnesite, gypsum, epoxy, | | |
| polyester, resin and all | 4.7.4.6 | |
| composition\$ | 17.16 | 6.18 |
| Drywall Installers/Lathers: Drywall installer/lather\$ | 10 11 | 6.485 |
| Drywall stocker, scrapper | 10.14 | 0.405 |
| & clean-up\$ | 10.07 | 3.335 |
| Electricians: | | |
| Cable splicer\$ | 17.93 | 3% + 3.38 |
| Electrician\$ | | 3% + 3.38 |
| Residential electrician\$ | 14.50 | 3.30 |
| Sound and signal technician.\$ Elevator Constructor\$ | 15.65 | 1.50 3.29 + a |
| Glazier\$ | 29.39 17 75 | 6.44 |
| Insulator/asbestos worker | 17.75 | 0.11 |
| Includes the application | | |
| of all insulating | | |
| materials, protective | | |
| coverings, coatings, and | | |
| finishes to all types of | 24 05 | 5.61 |
| <pre>mechanical systems\$ Ironworkers:</pre> | 24.00 | 5.61 |
| Fence erector\$ | 18 01 | 8.93 |
| Ornamental, reinforcing | 10.01 | 0.55 |
| and structural\$ | 18.90 | 8.95 |
| Laborer: Gunite | | |
| GROUP 1\$ | | 5.36 |
| GROUP 2\$ | | 5.36 |
| GROUP 3\$ Laborers: | 12.88 | 5.36 |
| GROUP 1\$ | 13.31 | 5.36 |
| GROUP 1-a\$ | 13.32 | 5.36 |
| GROUP 1-b\$ | 13.32 | 5.36 |
| GROUP 1-c\$ | 13.76 | 5.36 |
| GROUP 1-d\$ | 13.36 | 5.36 |
| GROUP 1-e\$ | 13.59 | 5.36 |
| GROUP 1-f\$ | 13.62 13.98 | 5.36 5.36 |
| GROUP 2\$ GROUP 3\$ | 11.88 | 5.36 |
| GROUP 4\$ | 9.66 | 5.36 |
| | | 2.20 |

| WRECKING WORK | | |
|--|--------------------|--------------|
| GROUP 1\$ | | 5.36 |
| GROUP 2\$ | | 5.36 |
| GROUP 3\$ Marble Finisher\$ | | 5.36 4.67 |
| Marble Setter, Terrazzo Worker.\$ | | 4.60 |
| Painters: | 17.37 | 4.00 |
| Brush\$ | 14.39 | 4.60 |
| Sandblaster; Scaffold; | 11.37 | 1.00 |
| Sheetrock; Structural | | |
| steel; Swing stage; Taper\$ | 15.79 | 4.60 |
| Spray\$ Parking Lot Striping; Highway | 14.64 | 4.60 |
| Parking Lot Striping; Highway | | |
| Markers: | | |
| Compactor, top, traffic | | |
| control, service and | 10.20 | 0 00 1 |
| spreader\$ | 12.39 | 2.00 + b |
| Mixer operator\$ | 13.95 | 2.00 + b |
| Sandblaster; Striper; Wheel stop installer\$ | 1/ 20 | 2.00 + b |
| Slurry seal operation: | 14.50 | 2.00 1 D |
| Applicator operation; | | |
| Shuttle; Squeegee\$ | 13.37 | 2.00 + b |
| Traffic delineating device | | |
| applicator\$ | 14.83 | 2.00 + b |
| Traffic surface protective | | |
| coating applicator\$ | | 2.00 + b |
| Plasterer\$ | 17.36 | 6.35 |
| Plumber and Steamfitter | | |
| Amador County (northern | 10 70 | 6 171 |
| half)\$ | 19.72 | 6.71 |
| Amador County (southern half)\$ | 22 02 | 6.35 |
| Power equipment operators: | 22.03 | 0.33 |
| Area 1: Area lying | | |
| westerly of the east line | | |
| of Range 14E. | | |
| GROUP 1\$ | | 9.60 |
| GROUP 1-a\$ | | 9.60 |
| GROUP 2\$ | | 9.60 |
| GROUP 3\$ | | 9.60 |
| GROUP 4\$ | | 9.60 |
| GROUP 5\$ GROUP 6\$ | | 9.60 9.60 |
| GROUP 6\$ GROUP 7\$ | 19.08 | 9.60 |
| GROUP 8\$ | 19.76 | 9.60 |
| GROUP 9\$ | 21.10 | 9.60 |
| GROUP 10\$ | 21.45 | 9.60 |
| GROUP 10-a\$ | 21.64 | 9.60 |
| GROUP 11\$ | 21.91 | 9.60 |
| GROUP 11-a\$ | 21.71 | 9.60 |
| GROUP 11-b\$ | 24.14 | 9.60 |
| GROUP 11-c\$ | 24.65 | 9.60 |
| Area 2 (Remainder of County) GROUP 1\$ | 18.54 | 9.60 |
| GROUP 1-a\$ | 15.76 | 9.60 |
| GROUP 2\$ | 19.09 | 9.60 |
| GROUP 3\$ | 19.42 | 9.60 |
| GROUP 4\$ | 20.27 | 9.60 |
| GROUP 5\$ | 20.60 | 9.60 |
| GROUP 6\$ | 20.83 | 9.60 |
| GROUP 7\$ | 21.08 | 9.60 |
| GROUP 8\$ | | 9.60 |
| GROUP 9\$ | 23.10 | 9.60 |
| GROUP 10\$ | 23.45 | 9.60 |
| GROUP 10-a\$ GROUP 11\$ | | 9.60 9.60 |
| GROUP 11-a\$ | | 9.60 |
| | - · · - | 2.00 |
| | | |

| GROUP 11-b\$ 2 GROUP 11-c\$ 2 | | 9.60 9.60 |
|---|--|--|
| Roofers: Enameler and pitch\$ 1 Roofer (slate, tile and | .7.65 | 7.64 |
| composition)\$ 1 Sheet metal worker\$ 1 Soft Floor Layer\$ 1 | | 7.64 5.06 3.00 3.23 |
| Base machine operator\$ 1 Terrazzo finisher\$ 1 Tile Finisher\$ 1 | .6.02 .0.68 | 3.95 3.95 1.65 3.29 |
| GROUP 1 | 7.93 7.95 7.97 7.98 9.00 9.01 9.25 9.26 9.07 9.40 9.11 9.12 9.14 9.15 9.16 9.21 9.24 9.25 | 7.04 |

FOOTNOTES:

a. Vacation Pay: 8% with 5 or more years of service, 6% for 6 months to 5 years service. Paid Holidays: New Years Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day and Friday after, and Christmas Day.

b. Employer contributes \$.80 per hour to vacation fund for the first year of employment; 1 year but less than 5 years, 1.13 per hour to vacation fund; 5 years but less than 10 years, 1.48 per hour to vacation fund; over 10 years 1.83 per hour to vacation fund.

LABORERS CLASSIFICATIONS

GROUP 1: Asphalt ironer and raker; Asphalt spreader boxes

(all types); Barko, Wacker and similar type tampers; Buggymobile; Chainsaw, faller, logloader and bucker; Compactors of all types; Concrete and magnesite mixer, 1/2 yd. and under; Concrete pan work; Concrete saw; Concrete sander; Cribber and/or shoring; Cut granite curb setter; Form raiser; Slip form; Green Cutter, headerboard, hubsetter, aligner; Jackhammer operator; Jacking of pipe over 12 inches; Jackson and similar type compactors; Kettle tender, pot and worker applying asphalt, lay-kold, creosote, lime, caustic and similar type materials; Lagging, sheeting, whaling, bracing, trenchjacking, handguided lagging hammer; Magnesite, epoxyresin, fiberglass, mastic worker (wet or dry); Perma curb; Precast-manhole setter; Cast-in-place manhole form setter; Pressure pipe tester; Pavement breaker and spader, including tool grinder; Pipelayer, caulker, bander, pipewrapper, conduit layer, plastic pipelayer, post hole digger, air, gas and electric; Power broom sweeper; Power tampers of all types (except as shown in Group 2); Ram set gun and stud gun; Riprap stonepaver and rock-slinger, including placing of sacked concrete and/or sand (wet or dry); Rotary Scarifier, multiple head concrete chipper; Davis trencher, 300 or similar type (and all small trenchers); Roto and Ditch Witch; Roto-tiller; Sandblaster, pot, gun, nozzle operator; Signalling and rigging; Tank cleaner; Tree climber; Vibrascreed, bull float in connection with laborers' work; Vibrator; Dri-pak-it machine; High pressure blow pipe (1-1/2-inch. or over, 100 lbs. pressure and over); Hydro seeder and similar type; Laser beam in connection with laborers' work

GROUP 1-a: Joy drill model TWM-2A; Gardener-Denver model DH143 and similar type drills; Track driller; Jack leg driller; Diamond driller; Wagon driller; Mechanical drillers, all types regardless of type or method of power; Multiple unit drill; Blaster and powder; All work or loading, placing and blasting of all power and explosives of whatever type regardless of method used for such loading and placing; High scaler (including drilling of same); Tree topper; Bit grinder

GROUP 1-b: Sewer cleaner receives an additional \$4.00 per day; \$5.00 per day on recently active large diameter sewers or sewer manholes

GROUP 1-c: Burning and welding in connection with laborers' work

GROUP 1-d: Repair track and road beds (cut and cover work of subway after the temporary cover has been placed)

GROUP 1-e: Laborer on general construction work on or in bell hole footings and shaft

GROUP 1-f: Wire winding machine in connection with guniting or shotcrete-aligner

GROUP 2: Asphalt shoveler; Cement dumper and handling dry cement or gypsum; Choke-setter and digger (clearing work); Concrete bucket dumper and chute; Concrete chipping and grinding; Concrete laborer (wet or dry); Chuck tender; High pressure nozzle operator, adductor; Grout-crew; Hydraulic monitor (over 100 lbs. pressure); Loading and unloading, carrying and hauling of all rods and materials for use in reinforcing concrete construction; Pittsburgh chipper and similar type brush shredders; Sloper; Singlefoot, hand held, pneumatic tamper; All pneumatic, air, gas and electric tools not listed in Groups 1 through 1-f; Jacking

- GROUP 3: All clean-up work of debris, grounds and buildings including but not limited to street cleaner; Cleaning and washing windows; Construction laborers including bridge and general laborer; Dump; Load spotter; Fire watcher; Street cleaner; Gardener, horticultural and landscape laborer; Jetting; Limber; Brush loader; Piler, maintenance landscape laborer on new construction; Maintenance, repair track and road beds; Streetcar and railroad construction track laborer; Temporary air and water lines, Victaulic or similar; Fence erector; Guardrail erector; Pavement marker (button setter)
- GROUP 4: Brick cleaner; Lumber cleaner

GUNITE CLASSIFICATIONS

- GROUP 1: Nozzle operator (including gun, pot); Ground person
- GROUP 2: Rebound person
- GROUP 3: General laborer

WRECKING WORK CLASSIFICATIONS

- GROUP 1: Skilled wrecker (removing and salvaging of sash, windows, doors, plumbing and electric fixtures)
- GROUP 2: Semi-skilled wrecker (salvaging of other building materials)
- GROUP 3: General laborer (includes all clean-up work, loading lumber, loading and burning of debris)

POWER EQUIPMENT OPERATORS CLASSIFICATIONS

- GROUP 1-a: Landscape irrigation trencher, Davis trencher (300 or similar and all small trenchers including all trenching equipment with seats) capacity up to 3 ft. in depth
- GROUP 1: Assistant to engineer (Brake; Fire tender; Heavy duty repair tender; Oiler; Deckhand; Signal; Switch; Tar pot fire tender)
- GROUP 2: Compressor operator; Concrete mixer (up to and including 1 yd.); Conveyor belt operator (tunnel); Fire tender, hot plant; Hydraulic monitor; Mechanical conveyor (handling building materials); Mixer box operator (concrete plant); Pump operator; Spreader box (with screeds); Tar pot fire tender (power agitated)
- GROUP 3: Box operator (bunker); Helicopter radio operator (signal); Motor operator; Locomotive (30 tons or under); Oiler; Ross Carrier (construction job site); Rotomist operator; Screed (except asphaltic concrete paving); Self-propelled, automatically applied concrete curing machine (on streets, highways, airports and canals); Trenching machine (maximum digging capacity 5 ft. depth); Tugger hoist, single drum; Truck crane oiler; Boiler tender
- GROUP 4: Ballast jack tamper; Ballast regulation; Ballast tamper multipurpose; Box (asphalt plant); Elevator operator (inside); Fork lift or lumber stacker (construction job site); Line master; Material hoist (1 drum); Shuttlecar; Tie spacer; Towermobile
- GROUP 5: Compressor operator (over 2); Concrete mixer (over 1

yd.); Concrete pump or pumpcrete gun; Generator; Grouting machine; Pressweld (air operated); Pumps (over 1); Welding machines (powered other than by electricity)

GROUP 6: BLH Lima road pactor or similar; Boom truck or dual-purpose A-frame truck; Concrete batch plant (wet or dry); Concrete saw (self-propelled unit) on streets, highways, airports and canals; Drilling and boring machinery, vertical and horizontal (not to apply to waterliners, wagon drills or jackhammers); Gradesetter, grade checker (mechanical or otherwise); Highline cableway signal; Locomotive (steam of over 30 tons); Maginnis internal full slab vibrator (on airports, highways, canals and warehouses); Mechanical finisher (concrete) (Clary, Johnson, Bidwell Bridge deck or similar types); Mechanical burm, curb and/or curb and gutter machine, concrete or asphalt; Portable crusher; Post driver (M-1500 and similar); Power jumbo operator (setting slip forms, etc., in tunnels); Roller (except asphalt); Screed (Barber-Greene and similar) (asphaltic concrete paving); Self-propelled compactor (single engine); Self-propelled pipeline wrapping machine, Perault, CRC, or similar types; Slip form pump (lifting device for concrete forms); Small rubber-tired tractor; Surface heater; Self- propelled power sweeper; Self-propelled tape machine; Auger-type drilling equipment, up to and including 30 ft. depth digging capacity m.r.c.

GROUP 7: Concrete conveyor or concrete pump, truck or equipment mounted (boom length to apply); Concrete conveyor, building site; Deck engineer; Dual drum mixer; Fuller Kenyon pump and similar types; Gantry rider (or similar); Hydra-hammer (or similar); Material hoist (2 or more drums); Mechanical finisher or spreader machine (asphalt, Barber-Greene and similar); Mine or shaft hoist; Mixermobile; Pavement breaker with or without compressor combination; Pipe bending machine (pipelines only); Pipe cleaning machine (tractor propelled and supported); Pipe wrapping machine (tractor propelled and supported); Refrigeration plant; Roller operator (finish asphalt); Self-propelled boom-type lifting device (center mount) (10 tons or less m.r.c.); Self-propelled elevating grader plane; Slusher operator; Small tractor (with boom); Soil tester; Truck- type loader; Welding machine (gasoline or diesel)

GROUP 8: Armor-Coater (or similar); Asphalt plant engineer; Cast-in-place pipe laying machine; Combination slusher and motor operator; Concrete batch plant (multiple units); Dozer; Heading shield operator; Heavy-duty repair and/or welder; Ken Seal machine (or similar); Kolman loader; Loader (up to 2 yds.); Mechanical trench shield; Portable crushing and screening plant; Push cat; Rubber-tired earth-moving equipment (up to and including 45 cu. yds. "struck" m.r.c.) (Euclids, T-Pulls, DW-10, 20, 21 and similar); Rubber-tired dozer; Self-propelled compactor with dozer; Sheepfoot; Timber skidder (rubber-tired or similar equipment); Tractor-drawn scraper; Tractor; Trenching machine; Tri-batch paver; Tunnel mole boring machine; Woods-Mixer (and other similar Pugmill equipment)

GROUP 9: Canal finger drain digger; Chicago boom; Combination mixer and compressor (gunite); Combination slurry mixer and/or cleaner; Highline cable (5 tons and under); Lull Hilift or similar (20 ft. or over); Mucking machine (rubber-tired, rail or track type); Tractor (with boom) (D-6 or larger and similar)

GROUP 10: Boom-type backfilling machine; Bridge crane; Cary-

lift (or similar); Chemical grouting machine, truck-mounted; Combination backhoe and loader (up to and including 1/2 cu. yd. m.r.c.); Derrick (2 operators required when swing engine remote from hoist); Derrick barge (except excavation work); Do-mor loader; Adams elegrader; Elevating grader; Heavy rotary drill rig (including caisson foundation work and Euclid loader and similar type); Robbins type drill; Koehring Skooper (or similar); Lift slab machine (Vagtborg and similar types); Loader (2 yds. up to and including 4 yds.); Locomotive, 100 tons (single or multiple units); Multiple engine earthmoving machine (Euclids, dozers, etc.) (no tandem scraper); Pre-stress wire wrapping machine; Reservoir-debris tug (self-propelled floating); Rubber-tired scraper, self-loading (paddle wheels, etc.); Shuttle car (reclaim station); Single-engine scraper over 45 yds.; Soil stabilizer (P & H or equal); Sub-grader (Gurrier or other automatic type); Tractor, compressor drill combination; Track-laying-type earthmoving machine (single engine with tandem scrapers); Train loading station; Trenching machine, multi-engine with sloping attachment, Jeffco or similar; Vacuum cooling plant; Whirley crane (up to and including 25 tons)

GROUP 10-a: Backhoe (hydraulic) (up to and including 1 cu. yd. m.r.c.); Backhoe (cable) (up to and including 1 cu. yd. m.r.c.); Combination backhoe and loader (over 3/4 cu. yd. m.r.c.); Continuous flight tie back auger (crane attached/separate controls); Crane not over 25 tons, Hammerhead and Gantry; Gradall (up to and including 1 cu. yd.); Power blade operator (single engine); Power shovel, clamshell, dragline (up to and including 1 cu. yd. m.r.c.) (long boom pay); Rubber- tired scraper, self-loading (Paddle Wheel, twin engine); Self- propelled boom-type lifting device (center mount); over 10 tons up to and including 25 tons); CMI dual land auto grader SP-30 or similar

GROUP 11: Automatic concrete slip-form paver (Gradesetter, Screed); Automatic railroad car dumper; Canal trimmer with ditching attachment; Cary-lift, Campbell or similar; Continuous flight tie back auger (crane attached, single controls); Crane (over 25 tons up to and including 125 tons); Drott travelift 650- A-1 or similar (45 tons or over); Euclid loader when controlled from the Pullcat; Highline cableway (over 5 tons); Loader (over 4 cu. yds. up to and including 12 cu. yds.); Miller formless M-900 slope paver or similar (grade setter required); Multiple engine scraper (when used as Push Pull); Power blade operator (multi- engine); Power shovel, clamshell, dragline, backhoe, gradall (over 1 cu. yd. up to and including 7 cu. yds. m.r.c., long boom pay); Rubber-tired earthmoving machine (multiple propulsion power units and two or more scrapers) (up to and including 75 cu. yds. struck m.r.c.); Self-propelled compactor boom-type lifting device (center mount) (over 25 tons m.r.c.); Single engine rubber-tired earthmoving machine (with tandem scrapers); Slip form paver (concrete or asphalt) (screed required); Tandem cat; Tower crane mobile (including rail mounted); Trencher (pulling attached shield); Tower cranes, Universal Liebher and similar types (in the erection, dismantling and moving of equipment); Wheel excavator (up to and including 750 cu. yds. per hour); Whirley crane (over 25 tons); Multi-earthmoving equipment (up to and including 75 cu. yds. "struck" m.r.c.); Truck-mounted hydraulic crane when remote control equipped (over 10 tons up to and including 25 tons)

GROUP 11-A: Band wagon (in conjunction with wheel excavator); Crane (over 125 tons); Loader (over 12 cu. yds. up to and including 18 cu. yds.); Power shovel, clamshell, backhoe, gradall and dragline (over 7 cu. yds. m.r.c.); Rubber-tired multi-purpose earthmoving machine (2 units over 75 cu. yds. "struck" m.r.c.); Wheel excavator (over 750 cu. yds. per GROUP 11-b: Loader (over 18 yds.) GROUP 11-c: Operator of helicopter (when used in erection work); Remote-controlled earthmoving equipment TRUCK DRIVERS CLASSIFICATIONS GROUP 1: Bulk cement spreader (with or without auger, under 4 yds. water level); Bus driver; Concrete pump machine; Concrete pump truck (when flat rack truck is used appropriate flat rack rate shall apply); Dump (under 4 yds. water level); Dumpcrete truck (under 4 yds. water level); Dumpster (under 4 yds. water level); Escort or pilot car driver; Nipper truck (when flat rack truck is used appropriate flat rack rate shall apply); Pickup; Skid (debris box, under 4 yds. water level); Team driver; Truck (dry pre-batch concrete mix, under 4 yds. water level) GROUP 2: Teamster oiler and/or greaser and/or service person GROUP 3: Bulk cement spreader (with or without auger, 4 yds. and under 6 yds. water level); Dump (4 yds. and under 6 yds. water level); Dumpcrete (4 yds. and under 6 yds. water level); Dumpster (4 yds. and under 6 yds. water level); Skid (debris box, 4 yds. and under 6 yds. water level); Single unit flat rack (2 axle unit); Industrial lift truck (mechanical tailgate); Truck (dry pre-batch concrete mix, 4 yds. and under 6 yds. water level) GROUP 4: Jetting truck and water truck (under 2,500 gallons) GROUP 5: Road oil truck or boot person GROUP 6: Lift jitney, fork lift GROUP 7: Transit mix, agitator (under 6 yds.) GROUP 8: Fuel and/or grease truck driver or fuel GROUP 9: Vacuum truck, under 3,500 gallons GROUP 10: Scissor truck; Single unit flat rack (2 axle unit); Industrial lift truck (mechanical tailgate); Small rubbertired tractor (when used within Teamsters' jurisdiction) GROUP 11: Jetting truck and water trucks, 2,500 gallons and under 4,000 gallons GROUP 12: Combination winch truck with hoist; Transit mix agitator (6 yds. and under 8 yds.) GROUP 13: Vacuum truck, 3,500 gallons and under 5,500 gallons GROUP 14: Rubber-tired muck car (not self-loaded) GROUP 15: Bulk cement spreader (with or without auger, 6 yds.

and under 8 yds. water level); Dump (6 yds. and under 8 yds. water level); Dumpcrete (6 yds. and under 8 yds. water level); Dumpster (6 yds. and under 8 yds. water level); Skid (debris box, 6 yds. and under 8 yds. water level);

Truck (dry pre-batch concrete mix, 6 yds. and under 8 yds. water level) GROUP 16: A-frame, winch truck; Buggymobile; Jetting and water truck (4,000 gallons and under 5,000 gallons); Rubber-tired jumbo GROUP 17: Heavy-duty transport (high bed) GROUP 18: Ross Hyster and similar straddle carrier GROUP 19: Transit mix agitator (8 yds. through 10 yds.) GROUP 20: Vacuum truck (5,500 gallons and under 7,500 gallons) GROUP 21: Jetting truck and water truck (5,000 gallons and under 7,000 gallons) GROUP 22: Combination boot person and road oiler GROUP 23: Transit mix agitator (over 10 yds. through 12 yds.) GROUP 24: Bulk cement spreader (with or without auger, 8 yds. and including 12 yds. water level); Dump (8 yds. and including 12 yds. water level); Dumpcrete (8 yds. and including 12 yds. water level); Self-propelled street sweeper with self- contained refuse bin; Skid (debris box, 8 yds. and including 12 yds. water level); Snow Go and/or snow plow; Truck (dry pre-batch concrete mix, 8 yds. and including 12 yds. water level) GROUP 25: Heavy-duty transport (gooseneck lowbed) GROUP 26: Transit mix agitator (over 12 yds. through 17 yds.) GROUP 27: Ammonia nitrate distributor driver and mixer; Bulk cement spreader (with or without auger, over 12 yds. and including 18 yds. water level); Dump (over 12 yds. and including 18 yds. water level); Dumpcrete (over 12 yds. and including 18 yds. water level); Dumpster (over 12 yds. and including 18 yds. water level); Skid (debris box, over 12 yds. and including 18 yds. water level); Truck (dry pre-batch concrete mix, over 12 yds. and including 18 yds. water level) GROUP 28: Double gooseneck (7 or more axles); Heavy-duty transport tiller GROUP 29: P.B. or similar type self-loading truck GROUP 30: Transit mix agitator (over 14 yds. through 16 yds.) GROUP 31: Bulk cement spreader (with or without auger, over 18 yds. and including 24 yds. water level); Combination dump and dump trailer; Dump (over 18 yds. and including 24 yds. water level); Dumpcrete (over 18 yds. and including 24 yds. water level); Dumpster (over 18 yds. and including 24 yds. water level); Skid (debris box, over 18 yds. and including 24 yds. water level); Transit mix agitator (over 12 yds. through 16 yds); Truck (dry pre-batch concrete mix, over 18 yds. and including 24 yds. water level) GROUP 32: Bulk cement spreader (with or without auger, over 24 yds. and including 35 yds. water level); Dump (over 24 yds. and including 35 yds. water level); Dumpcrete (over 24 yds. and including 35 yds. water level); Dumpster (over 24

yds. and including 35 yds. water level); DW 10's, 20's,

21's and other similar Cat type, Terra Cobra, LeTournapulls, Tournarocker, Euclid and similar type equipment when pulling fuel and/or grease tank trailers or other miscellaneous trailers; Skid (debris box, over 24 yds. and including 35 yds. water level); Truck (dry prebatch concrete mix, over 24 yds. and including 35 yds. water level)

GROUP 33: Truck repair person

GROUP 34: Bulk cement spreader (with or without auger, over 35 yds. and including 50 yds. water level); Dump (over 35 yds. and including 50 yds. water level); Dumpcrete (over 35 yds. and including 50 yds. water level); Dumpster (over 35 yds. and including 50 yds. water level); Skid (debris box, over 35 yds. and including 50 yds. water level); Truck (dry pre-batch concrete mix, over 35 yds. and including 50 yds. water level)

GROUP 35: DW 10's, 20's, 21's and other similar Cat type, Terra Cobra, LeTournapulls, Tournarocker, Euclid and similar type equipment when pulling Aqua/Pak or water tank trailers

GROUP 36: Bulk cement spreader (with or without auger, over 50 yds. and under 65 yds. water level); Dump (over 50 yds. and under 65 yds. water level); Dumpcrete (over 50 yds. and under 65 yds. water level); Dumpster (over 50 yds. and under 65 yds. water level); Helicopter pilot (when transporting workers or 8aterials); Skid (debris box, over 50 yds. and under 65 yds. water level); Truck (dry pre-batch concrete mix, over 50 yds. and under 65 yds. water level)

GROUP 37: Bulk cement spreader (with or without auger, 65 yds. and including 80 yds. water level); Dump (65 yds. and including 80 yds. water level); Dumpcrete (65 yds. and including 80 yds. water level); Dumpster (65 yds. and including 80 yds. water level); Skid (debris box, 65 yds. and including 80 yds. water level); Truck (dry pre-batch concrete mix, 65 yds. and including 80 yds. water level)

WELDERS - Receive rate prescribed for craft performing operation to which welding is incidental.

Unlisted classifications needed for work not included within the scope of the classifications listed may be added after award only as provided in the labor standards contract clauses (29CFR 5.5 (a) (1) (ii)).

In the listing above, the "SU" designation means that rates listed under the identifier do not reflect collectively bargained wage and fringe benefit rates. Other designations indicate unions whose rates have been determined to be prevailing.

WAGE DETERMINATION APPEALS PROCESS

1.) Has there been an initial decision in the matter? This can be:

- * an existing published wage determination
- * a survey underlying a wage determination
- * a Wage and Hour Division letter setting forth a position on a wage determination matter
- * a conformance (additional classification and rate) ruling

On survey related matters, initial contact, including requests for summaries of surveys, should be with the Wage and Hour Regional Office for the area in which the survey was conducted because those Regional Offices have responsibility for the Davis-Bacon survey program. If the response from this initial contact is not satisfactory, then the process described in 2.) and 3.) should be followed.

With regard to any other matter not yet ripe for the formal process described here, initial contact should be with the Branch of Construction Wage Determinations. Write to:

Branch of Construction Wage Determinations

Wage and Hour Division

U.S. Department of Labor

200 Constitution Avenue, N.W.

Washington, DC 20210

2.) If the answer to the question in 1.) is yes, then an interested party (those affected by the action) can request review and reconsideration from the Wage and Hour Administrator (See 29 CFR Part 1.8 and 29 CFR Part 7). Write to:

Wage and Hour Administrator

U.S. Department of Labor

200 Constitution Avenue, N.W.

Washington, DC 20210

The request should be accompanied by a full statement of the interested party's position and by any information (wage payment data, project description, area practice material, etc.) that the requestor considers relevant to the issue.

3.) If the decision of the Administrator is not favorable, an interested party may appeal directly to the Administrative Review Board (formerly the Wage Appeals Board). Write to:

Administrative Review Board

U.S. Department of Labor

200 Constitution Avenue, N.W.

Washington, DC 20210

4.) All decisions by the Administrative Review Board are final.
